



Aquarius 8000 Corona

PC CASE



ACCESSORIES



EY2A021

More at

www.endorfy.com

Designed by ENDORFY

COOLING SP. Z O.O.
UL. SOKOŁOWSKA 24
05-806 SOKOŁÓW, POLSKA
TEL. +48222920130



1. Overview

REAR

1x 120/140

120/140

PSU CHAMBER

3x 120/140

Reverse fans recommended.

TOP

3x 120/140

120/240/280/360/420

SIDE

3x 120

2x 140

120/240/280/360

Reverse fans recommended.

UNDERSIDE FILTER

1x 2.5", 2x 3.5"

2x 2.5" (SSD)

PSU MAX:

270-330 mm

w/o HDD 475 mm

I/O

Please refer to your motherboard's user manual to connect the I/O panel.

1 USB-C® (USB 3.2 Gen 2) 3 TRRS combo audio jack 3.5 mm 5 Power button

2 USB-A (USB 3.1 Gen 1) 4 ARGB mode / reset button

2. Panel removal

1

2

3

2

3

2

3

To remove the side panels, it is necessary to remove the top panel.

3. Hardware installation

1

2

2

1

Suggested method for first-time power supply installation.

Four UNC-6-32 screws should be included with the PSU.

4. Hardware installation

B x1

A x9

Use (B) part to securely screw or unscrew standoffs.

Use (C) parts to screw motherboard to standoffs.


5. Hardware installation

1


2

1

6. Hardware installation



7. Dust filters



The bottom filter can be mounted and removed from the left side or right side of the case.



