


Navis F240

ENDORFY

CPU COOLER

Synergy
Cooling



Your CPU will thank you.

Endorfy Navis F240 is an efficient all-in-one CPU cooling system, designed in cooperation with Synergy Cooling. At its heart is a silent pump-in-block setup with a ceramic bearing and PWM speed control. We have paired it with a 240 mm radiator and two preinstalled Fluctus 120 PWM fans. This compact AIO cooler will fit in most standard cases. It's compatible with all the popular AMD and Intel sockets. To put it simply – if you like proven solutions that provide top cooling efficiency without annoying fan noise, you will enjoy using Navis F240. With this in your PC, you will deal with your enemies, slay dragons, and win races without losing your cool.

All-in-one water cooling

High performance, preassembled water cooling loop is ready to install and maintenance-free.

PWM-controlled pump

Advanced, PWM-controlled pump is quiet at idle and efficient under load. Mounting points are integrated for hassle-free installation.

Two 120 mm Fluctus fans

Fluctus fans are optimized for high static pressure, providing superb performance on water cooling radiators at low noise levels.

Extended fan speed range

Fan speed can be regulated from whisper-quiet 250 rpm up to 1800 rpm depending on cooling requirements.

Kink-resistant rubber tubing

Internally reinforced tubes are flexible and easy to route. Outer sleeves protect the tubes and provide unobtrusive looks.


Multi-socket compatibility

Redesigned mounting system is easy to install and compatible with all modern AMD and Intel desktop sockets.



Logistics data

Launch date	2022-11-22 (Tuesday)	Dimensions and weight of retail package	400×165×145 mm / 1.686 kg
Product code	EY3B001	Quantity in collection box	6 pcs
EAN	5903018665887	MSRP	83 EUR



Technical specifications

Product code	EY3B001
EAN	5903018665887
Product type	CPU liquid cooler

Radiator

Radiator dimensions [mm]	120 × 275 × 28
Radiator dimensions (incl. fans) [mm]	120 × 275 × 54
Material	Aluminium

Fan specifications

Fans (included)	2× Fluctus 120 PWM
Dimensions [mm]	120 × 120 × 25
Speed [rpm]	250 (±100) – 1800 (±10%)
Bearing	FDB
Control (speed)	PWM
Connector	4-pin (power, male and female)
Voltage [V]	12
Current (fan, peak) [A]	0.3
MTBF [h]	100 000

Pump specifications

Coldplate	Copper
Bearing	Ceramic
Voltage [V]	12
Current (peak) [A]	0.33
Control (speed)	PWM
Speed [rpm]	1600 – 2600 (±10%)
Connector (power)	SATA
Connector (control)	4-pin PWM (female)
Warranty [months]	36

Intel CPU compatibility

LGA 1700	Yes
LGA 1200 / 1151 / 1150 / 1155 / 1156	Yes
LGA 2066 / 2011-3 / 2011 (square ILM)	Yes







AMD CPU compatibility

AM5 / AM4	Yes
AM3(+) / AM2(+) / FM2(+) / FM1	No





What's in the box?



1 Navis F240 AIO cooling solution

2 2× Fluctus 120 PWM fan

3 Mounting accessories

4 Pactum PT-3 thermal compound

5 Safety instruction



68000486617340000 48666177
Because technology is more than gaming focus - it's creativity, passion and craft.
We are all technology heroes.

ENDORFY can cater to every desire and requirement. All you need is your imagination and passion for computer hardware. We handle the rest and deliver proven, functional and efficient products. This combination will make you proud and let you experience the emotions that come with computer hardware, its configuration and PC gaming.

